Printing Date 03/27/2018 Revision Number 1 Revision Date 03/27/2018

1 Identification

- · Product identifier
- · Trade name: Schönox HPS 1100
- · Relevant identified uses of the substance or mixture. Adhesive
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Schönox, HPS North America, Inc.

511 White Street

Florence, AL 35630

- · Information department: Environment protection department.
- · Emergency telephone number:

ChemTrec: Day or Night within USA and Canada: 1-800-424-9300. Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

2 Hazard(s) identification

· Classification of the substance or mixture

The product does not meet the criteria for classification as hazardous under the GHS and 29 CFR 1910.1200

- · Label elements
- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 1 Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- \cdot **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture
- · Hazardous components:

25280-35-7 vinyl acrylic copolymer

2.5-10%

(Contd. on page 2)

Printing Date 03/27/2018 Revision Number 1 Revision Date 03/27/2018

Trade name: Schönox HPS 1100

(Contd. of page 1)

14808-60-7 Quartz (SiO2)

≤2.5%

4 First-aid measures

- · Description of first aid measures
- · After inhalation: Overexposure, remove to fresh air and seek medical attention.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for 20 minutes under running water. If eye becomes irritated, obtain medical treatment.

- · After swallowing: Do not induce vomiting. Obtain medical advice.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire fighting measures that suit the environment.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters

Firefighters use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

· **Protective equipment:** Protective clothing and respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste in accordance with federal state and local regulations.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· Protective A	cuon Crueria for Chemicais		
· PAC-1:			
	Quartz (SiO2)	0.0)75 mg/m³
108-05-4	vinyl acetate	6.7	ppm ppm
· PAC-2:			
14808-60-7	Quartz (SiO2)		33 mg/m³
108-05-4	vinyl acetate		36 ppm
		(Con	td. on page 3)

- USA

Printing Date 03/27/2018 Revision Number 1 Revision Date 03/27/2018

Trade name: Schönox HPS 1100

	(Contd. of page 2)
· PAC-3:	
14808-60-7 Quartz (SiO2)	200 mg/m^3
108-05-4 vinyl acetate	180 ppm

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Open and handle receptacle with care.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store above 40F.
- Information about storage in one common storage facility: Store away from oxidizing agents.
- · Further information about storage conditions:

Protect product from freezing.

Store in cool, dry conditions in well sealed receptacles.

Keep receptacle tightly sealed.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

14	14808-60-7 Quartz (SiO2)		
PE	L see Quartz listing		
RE	L Long-term value: 0.05* mg/m³ *respirable dust; See Pocket Guide App. A		
TL	V Long-term value: 0.025* mg/m³ *as respirable fraction		

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment (see listings below)
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

- · Breathing equipment: Not necessary if room is well-ventilated.
- · Protection of hands:



The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 4)

Printing Date 03/27/2018 Revision Number 1 Revision Date 03/27/2018

Trade name: Schönox HPS 1100

(Contd. of page 3)

· Material of gloves

Nitrile rubber, NBR

Chloroprene rubber, CR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Safety glasses with side shields.
- · Body protection: Protective work clothing

Information on basic physical and c	hemical properties
General Information	
Appearance:	
Form:	Pasty
Color:	Tan
Odor:	Characteristic
Odor threshold:	Not determined.
pH-value at 20 °C (68 °F):	9.4
Change in condition	
Melting point:	Undetermined.
Boiling point:	100 °C (212 °F)
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not applicable.
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Flammable limits:	
Lower:	Not determined
Upper:	Not determined
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
Specific gravity at 20 °C (68 °F):	$1.11 \text{ g/cm}^3 (9.26295 \text{ lbs/gal})$
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wate	er): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Solids content:	58.8 %

(Contd. on page 5)

Printing Date 03/27/2018 Revision Number 1 Revision Date 03/27/2018

Trade name: Schönox HPS 1100

(Contd. of page 4)

· Other information

VOC calculated [Rule 1168] - 0.63 grams/liter

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid Temperatures below 40F (4.4C)
- · Incompatible materials: Reacts with oxidizing agents.
- · Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Nitrogen oxides

Hydrocarbons

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: May irritate the skin.
- · on the eye: May irritate the eye.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

Caremogen	ic cutegories	
· IARC (Inte	rnational Agency for Research on Cancer)	
14808-60-7	Quartz (SiO2)	1
108-05-4	vinyl acetate	2B
· NTP (Natio	onal Toxicology Program)	
14808-60-7	Quartz (SiO2)	K
· OSHA-Ca ((Occupational Safety & Health Administration)	
None of the	ingredients is listed.	

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: At present there are no ecotoxicological assessments.

(Contd. on page 6)

Printing Date 03/27/2018 Revision Number 1 Revision Date 03/27/2018

Trade name: Schönox HPS 1100

(Contd. of page 5)

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- **Recommendation:** Must be specially treated adhering to official regulations.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

1470	, ·	C	y •
14 Trans	nort in	torma	กากท
I I I I WILL	DUI V VIIV	Julium	uull

	IIN-	Number	
•	UIV-	number	

- · DOT, ADN, IMDG, IATA not regulated
- · UN proper shipping name
- · DOT, ADN, IMDG, IATA not regulated
- · Transport hazard class(es)
- · DOT, ADN, IMDG, IATA
- · Class not regulated
- · Packing group
- · DOT, IMDG, IATA not regulated
- · Environmental hazards: Not applicable.
- · Special precautions for user Not applicable.
- · Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· UN ''Model Regulation'': not regulated

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

108-05-4 vinyl acetate

· Section 313 (Specific toxic chemical listings):

108-05-4 vinyl acetate

· TSCA (Toxic Substances Control Act):

All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

(Contd. on page 7)

Printing Date 03/27/2018 Revision Number 1 Revision Date 03/27/2018

Trade name: Schönox HPS 1100

(Contd. of page 6) · Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. · Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. · Chemicals known to cause developmental toxicity: None of the ingredients is listed. · (DSL) Canada Dosmestic Substance List All components of this product are on the DSL(Canada Domestic Substance list) or are exempt from DSL requirements. · New Jersey Right-to-Know List: 14808-60-7 Quartz (SiO2) 108-05-4 vinyl acetate · New Jersey Special Hazardous Substance List: 14808-60-7 Quartz (SiO2) CA108-05-4 vinyl acetate CA, F3, R2 · Pennsylvania Right-to-Know List: 14808-60-7 Quartz (SiO2) 108-05-4 vinyl acetate · Pennsylvania Special Hazardous Substance List: 108-05-4 vinyl acetate \boldsymbol{E} · Cancerogenity categories · EPA (Environmental Protection Agency) None of the ingredients is listed. · TLV (Threshold Limit Value established by ACGIH) 14808-60-7 Quartz (SiO2) A2108-05-4 vinyl acetate *A3* · MAK (German Maximum Workplace Concentration) 14808-60-7 Quartz (SiO2) 108-05-4 vinyl acetate 3A · NIOSH-Ca (National Institute for Occupational Safety and Health) 14808-60-7 Quartz (SiO2)

- · National regulations:
- · Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Although the information and recommendations set forth in this SDS [SDS] are presented in good faith and are believed to be correct as of the date of this SDS [SDS], the supplier/manufacturer makes no representations as to the completeness or accuracy thereof. Information is supplied on the condition that the persons receiving and using it will make their own determination as to the suitability for their purpose prior to use. In no event will the supplier/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance on the information set forth in the SDS [SDS].

· Department issuing SDS: Environment protection department.

(Contd. on page 8)

Printing Date 03/27/2018 Revision Number 1 Revision Date 03/27/2018

Trade name: Schönox HPS 1100

(Contd. of page 7)

· Creation Date: 03/27/2018

· Date of preparation / last revision 03/27/2018 / -

· Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)
PBT: Persistent, Bioaccumulative and Toxic

PPR: pers Parsistent and year, Bioaccumulative

vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health

TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

USA